DigiDoc-It[®] Imaging Systems

The **DigiDoc-It** System is economically designed for image capture and documentation of gels and plates. UVP's exclusive software loads on the user's PC, controls the camera functions and offers many image enhancement and reporting features.



High Performance UV Transilluminators feature 25 watt, 302nm UV

Ordering Information	
DigiDoc-It Imaging System with	97-0243-01 (100-115V)
TFM-20V Transilluminator (20x20cm)	97-0243-02 (230V)
DigiDoc-It Imaging System with	97-0244-01 (100-115V)
TFM-26V Transilluminator (21x26cm)	97-0244-02 (230V)
DigiDoc-It Imaging System with	97-0246-01 (100-115V)
TFM-30V Transilluminator (25x30cm)	97-0246-02 (230V)
DigiDoc-It Imaging System	97-0105-01 (100-115V)
(No Transilluminator)	97-0105-06 (230V)
Drawer (order Benchtop Transilluminator separately)	98-0068-01

Systems include: Digi camera, hood, EtBr filter; capture/control software (Windows XP or higher), with or without a UV transilluminator

Doc-It[®]LS Analysis Software

Doc-ItLS Software is designed for analysis of 1D gels. The analysis module compliments the capture software package included with the DigiDoc-It, MultiDoc-It and ChromaDoc-It systems.

- Generate easy to interpret quantitative data of lanes and bands
- Measure angles, areas and lengths with the Measurement Tool
- Detect straight, curved or slanted lanes and bands
- Create histograms for detailed visual analysis

In addition to analysis functions, users can set preferences and generate reports. The software supports 21 CFR Part 11 compliance.

- High resolution digital color camera captures brilliant color images
- Exclusive software controls the camera and enables image capture, enhancement, annotation and archiving
- Quickly see live preview of gel images on the computer monitor
- Select a large format High Performance UV Transilluminator; for gels up to 25x30cm, select the DigiDoc-It with the TFM-30V Transilluminator

Digi Cam Camera Specifications

CCD Imager:	High resolution megapixel camera**
Interface:	USB connector
Power Supply:	AC Adapter Kit

** For current camera specifications go to UVP.com or contact UVP.

DigiDoc-It System


with the optional drawer (right) and Benchtop UV Transilluminator (ordered separately, see pages 23-24 for transilluminators)

Drawer Dimensions:

19.1W x 7.7H x 15.1D (485 x 196 x 384mm)

Hood Dimensions:

17.75W x 16.6 x 12D in. (451 x 422 x 305mm)



Ordering Information

1D Analysis Software (compatible with Windows XP or higher)

97-0185-02